

SPORTRAK TIRE

just run just win

CAR TIRES

Ver 26.11



ENTERPRISE INTRODUCTION

Sportrak Tire Co., Ltd. has accumulated more than two decades of solid expertise within the rubber tire industry, strategically positioning itself to engage in the end-to-end industrial chain operation of proprietary branded tires.We have forged a seamless full-spectrum supply chain layout, encompassing upstream import of natural rubber, trading of raw materials and auxiliary supplies, tire research & development, customized OEM production, global merchandising, as well as integrated logistics allocation and distribution services.Our diversified product spectrum comprises truck & bus tyres, passenger vehicle tyres, multiple-purpose special tyres, OTR tyres, motorcycle tyres and supporting automotive ancillary components.We adopt multifaceted trade modalities ranging from imported material processing and conventional general trade to 9710 cross-border e-commerce. Dedicated to diversified industrial layout, we aspire to evolve into a leading all-in-one comprehensive service provider across the global tire marketplace.

Against the volatile tides of the global economic landscape, our proprietary brand SPORTRAK persists in brand-oriented strategic operation, enforces stringent quality supervision over all products, and perpetually elevates core competitive strengths.Upholding the core tenet of "Integrity Rooted, Win-win Collaboration", we devote ourselves to establishing a borderless global supply chain ecosystem.In response to personalized market demands from overseas clients, we tailor-develop products adaptable to local consumption markets, deploy dedicated moulds to launch large-scale streamlined production so as to slash operational manufacturing costs. Subsequently, we conduct centralized packaging, sorting and classified distribution, so as to fully cater to diversified procurement demands of global buyers. To this day, we have delivered exceptional commercial value to business partners spanning over a hundred nations worldwide.

Our proprietary brand SPORTRAK has obtained the Trademark Registration Certificate (No. 14413527) issued by the Trademark Office of the State Administration for Industry and Commerce of China.Additionally, our products have successfully secured a full range of authoritative international certifications, including US DOT & SMARTWAY, European E-Mark, Gulf GCC, Saudi SASO, Mexican NOM, Brazilian INMETRO, Indonesian SNI and South American LATU certifications.Centering on the flagship brand SPORTRAK, we actively expand global markets and have built a comprehensive product matrix covering diverse specifications ranging from cost-effective models to high-performance variants.We boast a complete lineup of all-steel tires. In particular, our multiple-purpose special tyres have repeatedly been shortlisted for government bidding projects in Central Asia, the Middle East and multiple African nations.

Endowed with profound industry heritage and extensive global business networks, our brand SPORTRAK has established solid and stable sales channels across the globe. Our products are widely accessible in over a hundred countries, spanning Southeast Asia, Europe, North America, as well as emerging markets in the Middle East and Africa.Looking ahead, we will further deepen our global strategic layout, continuously broaden business scope and elevate service standards. We aim to forge a closer, more efficient and sustainably vibrant trade ecosystem, strive to emerge as a pacesetter within the global tire trade sector, and contribute greater momentum to the prosperity and advancement of international trade.

20+
More than 20 years tires experience

100+
More than 100 countries and regions

550+
More than 550 tire sizes

5000000+
More than 5 million tires exported annually

SINCERELY HOPE TO ESTABLISH A LONG-TERM AND
MUTUALLY BENEFICIAL COOPERATIVE RELATIONSHIP WITH YOU


High credibility, premium quality,
wide variety, plenty of choices.

PCR PATTERN


SP778
SP716
SP736


SP708
SP758
SP717
SP711
SP712


SP726
SP766
SP788
SP7866
SP750


SP762
SP7888
SP700
SP798
SP786


white letters
white letters
white letters
SP756
WPRO SP789 OWL
WPRO SP799 OWL
WPRO SP784 OWL
SP752


white loop
SP780
SP722
SP769S WSW
SP796
SP701


SP702
SP703
SP705
SP707
SP706


SP718
SP709
SP719
SP729
SP739

www.sporttraktire.com

Dependable HP, Drive with Confidence



SP778

HP/TAXI TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
155/65R13	73T	532	157	4.5	500AA	D	B	70dB (C1)
165/65R13	77T	544	170	5	500AA	D	B	70dB (C1)
165/70R13	79T	562	170	5	500AA	D	B	70dB (C1)
175/60R13	77H	540	177	5	560AA	D	B	70dB (C1)
175/65R14	82H	584	177	5	560AA	D	B	70dB (C1)
175/70R13	82T	576	177	5	560AA	D	B	70dB (C1)
175/70R14	84T	602	177	5	560AA	D	B	70dB (C1)
185/60R14	82H	578	189	5.5	560AA	D	B	70dB (C1)
185/60R15	84H	603	189	5.5	560AA	D	B	70dB (C1)
185/65R14	86H	596	189	5.5	560AA	D	B	70dB (C1)
185/70R14	88T	616	189	5.5	560AA	D	B	70dB (C1)
195/60R14	86H	590	201	6	560AA	D	B	71dB (C1)
195/60R15	88H	615	201	6	560AA	D	B	71dB (C1)
195/65R15	91H	635	201	6	560AA	D	B	71dB (C1)
195/70R14	91T	630	201	6	560AA			
205/55R16	91V	632	214	6.5	560AA	D	B	71dB (C1)
205/60R16	92V	652	209	6	560AA	D	B	71dB (C1)
205/65R15	99T	647	209	6	560AA	D	B	72dB (C1)
205/65R16	95V	672	209	6	560AA	D	B	71dB (C1)
205/70R15	96T	669	209	6	560AA	D	B	71dB (C1)
215/50R17	95V	648	226	7	560AA	D	B	72dB (C1)
215/55R17	94V	668	226	7	560AA	D	B	71dB (C1)
215/60R16	95V	664	221	6.5	560AA	D	B	71dB (C1)
215/65R16	98H	686	221	6.5	560AA	D	B	71dB (C1)
215/70R15	98T	683	221	6.5	560AA	D	B	71dB (C1)
225/50R17	94V	658	233	7	560AA	D	B	71dB (C1)
225/60R16	98H	676	228	6.5	560AA	D	B	71dB (C1)
225/65R17	102H	724	228	6.5	560AA	D	B	71dB (C1)
185/65R15	88H	621	189	5.5	560AA	D	B	70dB (C1)



SP716

HP TIRE

Criss-cross grooves design

Criss-cross grooves design enhance water evacuation, effectively peevent tire lateral silp on wet road.

Centre wide ribs design

Central rib combined with horizontal grooves provides nice stability.excellent acceleration and brake performance at high speed.



Performance Test






SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
155/65R13	73T	532	157	4½J	380AA	D	C	70dB (C1)
155/70R13	75T	548	157	4½J	380AA	D	C	70dB (C1)
155/80R13	79T	578	157	4½J	380AA	E	C	70dB (C1)
165/65R13	77T/77H	544	170	5J	380AA	D	C	70dB (C1)
165/70R13	79T/79H	562	170	5J	380AA	E	C	70dB (C1)
165/80R13	83T	594	165	4½J	380AA	C	C	70dB (C1)
175/60R13	77H	540	177	5J	380AA	E	C	70dB (C1)
175/70R13	82T/82H	576	177	5J	380AA	E	C	70dB (C1)
185/70R13	86T/86H	590	189	5½J	380AA	D	C	70dB (C1)
155/65R14	75T/75H	558	157	4½J	380AA	D	C	70dB (C1)
165/60R14	75T/75H	554	170	5J	380AA	D	C	70dB (C1)
165/65R14	79H	570	170	5J	380AA	E	C	70dB (C1)
165/70R14	81T	588	170	5J	380AA	E	C	70dB (C1)
175/65R14	82T/82H	584	177	5J	380AA	E	C	70dB (C1)
175/65R14	86T/86H XL	584	177	5J	380AA	E	C	70dB (C1)
175/70R14	84T/84H	602	177	5J	380AA	E	C	70dB (C1)
185/60R14	82H	578	189	5½J	380AA	E	C	70dB (C1)
185/65R14	86T/86H	596	189	5½J	380AA	C	C	70dB (C1)
185/70R14	88T/88H	616	189	5½J	380AA	C	C	70dB (C1)
195/60R14	86H	590	201	6J	380AA	C	C	71dB (C1)
195/65R14	89H	610	201	6J	380AA	C	C	71dB (C1)
195/70R14	91T/91H	630	201	6J	380AA	C	C	71dB (C1)
195/70R14	95H XL	630	201	6J	380AA	C	C	71dB (C1)
195/75R14	92T/92H	648	196	5½J	380AA	C	C	71dB (C1)
205/60R14	88H	602	209	6J	380AA	E	C	71dB (C1)
205/70R14	98T XL	644	209	6J	380AA	B	C	72dB (C1)
165/65R15	81T/81H	595	170	5J	380AA	C	C	70dB (C1)
175/55R15	77T/77H	573	182	5½J	380AA	D	C	70dB (C1)
175/60R15	81H	591	177	5J	380AA	E	C	70dB (C1)
175/65R15	84H	609	177	5J	380AA	C	C	70dB (C1)
185/55R15	82V	585	194	6J	380AA	E	C	70dB (C1)
185/60R15	84H	603	189	5½J	380AA	C	C	70dB (C1)
185/60R15	88H XL	603	189	5½J	380AA	C	C	70dB (C1)
185/65R15	88T/88H	621	189	5½J	380AA	C	C	70dB (C1)
195/50R15	82V	577	201	6J	380AA	E	C	71dB (C1)
195/55R15	85V	595	201	6J	380AA	E	C	71dB (C1)
195/60R15	88H/88V	615	201	6J	380AA	C	C	71dB (C1)
195/65R15	91H/91V	635	201	6J	380AA	C	C	71dB (C1)
195/70R15	97S XL	655	201	6J	380AA	C	C	71dB (C1)
205/50R15	86V	587	214	6½J	380AA	C	C	71dB (C1)
205/60R15	91H/91V	627	209	6J	380AA	C	C	71dB (C1)
205/65R15	94H/91V	647	209	6J	380AA	C	C	71dB (C1)
205/70R15	96H	669	209	6J	380AA	C	C	71dB (C1)
215/65R15	100H XL	661	221	6½J	380AA	B	C	72dB (C1)
215/65R15	96H	661	221	6½J	380AA	B	C	72dB (C1)
215/70R15	98T	683	221	6½J	380AA	C	C	71dB (C1)
225/60R15	96H	651	228	6½J	380AA	C	C	71dB (C1)
225/70R15	100T/100H	697	228	6½J	380AA	C	C	71dB (C1)
185/55R16	83H/83V	610	194	6J	380AA	D	C	71dB (C1)
195/50R16	84H/84V	602	201	6J	380AA	E	C	71dB (C1)
195/55R16	87H/87V	620	201	6J	380AA	C	C	71dB (C1)
205/50ZR16	87W	612	214	6½J	380AA	C	C	71dB (C1)
205/55R16	91V	632	214	6½J	380AA	C	C	71dB (C1)
205/55ZR16	91W	632	214	6½J	380AA	C	C	71dB (C1)
205/55ZR16	94W XL	632	214	6½J	380AA	C	C	71dB (C1)
205/60R16	92H/92V	652	209	6J	380AA	C	C	71dB (C1)
205/65R16	95V	672	209	6J	380AA	C	C	71dB (C1)
215/55ZR16	97W XL	642	226	7J	380AA	B	C	72dB (C1)
215/60R16	95H/95V	664	221	6½J	380AA	C	C	71dB (C1)
215/65R16	98H	686	221	6½J	380AA	C	C	71dB (C1)
215/70R16	100T/100H	708	221	6½J	380AA	C	C	71dB (C1)
225/50ZR16	92W	632	233	7J	380AA	C	C	71dB (C1)
225/50ZR16	96W XL	632	233	7J	380AA	B	C	72dB (C1)
225/55ZR16	99W XL	654	233	7J	380AA	B	C	72dB (C1)
225/60R16	98H	676	228	6½J	380AA	C	C	71dB (C1)
225/60R16	102H XL	676	228	6½J	380AA	B	C	72dB (C1)
225/70R16	103T/103H	722	228	6½J	380AA	C	C	71dB (C1)





SP736/SP708/SP758

HP TIRE



Performance Test



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
155/65R13	73T	532	157	4½J	380AA	D	C	70dB (C1)
155/70R13	75T	548	157	4½J	380AA	D	C	70dB (C1)
155/80R13	79T	578	157	4½J	380AA	E	C	70dB (C1)
165/65R13	77T/77H	544	170	5J	380AA	D	C	70dB (C1)
165/70R13	79T/79H	562	170	5J	380AA	E	C	70dB (C1)
165/80R13	83T	594	165	4½J	380AA	C	C	70dB (C1)
175/60R13	77H	540	177	5J	380AA	E	C	70dB (C1)
175/70R13	82T/82H	576	177	5J	380AA	E	C	70dB (C1)
185/70R13	86T/86H	590	189	5½J	380AA	D	C	70dB (C1)
155/65R14	75T/75H	558	157	4½J	380AA	D	C	70dB (C1)
165/60R14	75T/75H	554	170	5J	380AA	D	C	70dB (C1)
165/65R14	79H	570	170	5J	380AA	E	C	70dB (C1)
165/70R14	81T	588	170	5J	380AA	E	C	70dB (C1)
175/65R14	82T/82H	584	177	5J	380AA	E	C	70dB (C1)
175/65R14	86T/86H XL	584	177	5J	380AA	E	C	70dB (C1)
175/70R14	84T/84H	602	177	5J	380AA	E	C	70dB (C1)
185/60R14	82H	578	189	5½J	380AA	E	C	70dB (C1)
185/65R14	86T/86H	596	189	5½J	380AA	C	C	70dB (C1)
185/70R14	88T/88H	616	189	5½J	380AA	C	C	70dB (C1)
195/60R14	86H	590	201	6J	380AA	C	C	71dB (C1)
195/65R14	89H	610	201	6J	380AA	C	C	71dB (C1)
195/70R14	91T/91H	630	201	6J	380AA	C	C	71dB (C1)
195/70R14	95H XL	630	201	6J	380AA	C	C	71dB (C1)
195/75R14	92T/92H	648	196	5½J	380AA	C	C	71dB (C1)
205/60R14	88H	602	209	6J	380AA	E	C	71dB (C1)
205/70R14	98T XL	644	209	6J	380AA	B	C	72dB (C1)
165/65R15	81T/81H	595	170	5J	380AA	C	C	70dB (C1)
175/55R15	77T/77H	573	182	5½J	380AA	D	C	70dB (C1)
175/60R15	81H	591	177	5J	380AA	E	C	70dB (C1)
175/65R15	84H	609	177	5J	380AA	C	C	70dB (C1)
185/55R15	82V	585	194	6J	380AA	E	C	70dB (C1)
185/60R15	84H	603	189	5½J	380AA	C	C	70dB (C1)
185/60R15	88H XL	603	189	5½J	380AA	C	C	70dB (C1)
185/65R15	88T/88H	621	189	5½J	380AA	C	C	70dB (C1)
195/50R15	82V	577	201	6J	380AA	E	C	71dB (C1)
195/55R15	85V	595	201	6J	380AA	E	C	71dB (C1)
195/60R15	88H/88V	615	201	6J	380AA	C	C	71dB (C1)
195/65R15	91H/91V	635	201	6J	380AA	C	C	71dB (C1)
195/70R15	97S XL	655	201	6J	380AA	C	C	71dB (C1)
205/50R15	86V	587	214	6½J	380AA	C	C	71dB (C1)
205/60R15	91H/91V	627	209	6J	380AA	C	C	71dB (C1)
205/65R15	94H/91V	647	209	6J	380AA	C	C	71dB (C1)
205/70R15	96H	669	209	6J	380AA	C	C	71dB (C1)
215/65R15	100H XL	661	221	6½J	380AA	B	C	72dB (C1)
215/65R15	96H	661	221	6½J	380AA	B	C	72dB (C1)
215/70R15	98T	683	221	6½J	380AA	C	C	71dB (C1)
225/60R15	96H	651	228	6½J	380AA	C	C	71dB (C1)
225/70R15	100T/100H	697	228	6½J	380AA	C	C	71dB (C1)
185/55R16	83H/83V	610	194	6J	380AA	D	C	71dB (C1)
195/50R16	84H/84V	602	201	6J	380AA	E	C	71dB (C1)
195/55R16	87H/87V	620	201	6J	380AA	C	C	71dB (C1)
205/45ZR16	83V	590	206	7	400AA			
205/50ZR16	87W	612	214	6½J	380AA	C	C	71dB (C1)
205/55R16	91V	632	214	6½J	380AA	C	C	71dB (C1)
205/55ZR16	91W	632	214	6½J	380AA	C	C	71dB (C1)
205/55ZR16	94W XL	632	214	6½J	380AA	C	C	71dB (C1)
205/60R16	92H/92V	652	209	6J	380AA	C	C	71dB (C1)
205/65R16	95V	672	209	6J	380AA	C	C	71dB (C1)
215/55ZR16	97W XL	642	226	7J	380AA	B	C	72dB (C1)
215/60R16	95H/95V	664	221	6½J	380AA	C	C	71dB (C1)
215/65R16	98H	686	221	6½J	380AA	C	C	71dB (C1)
215/70R16	100T/100H	708	221	6½J	380AA	C	C	71dB (C1)
225/50ZR16	92W	632	233	7J	380AA	C	C	71dB (C1)
225/50ZR16	96W XL	632	233	7J	380AA	B	C	72dB (C1)
225/55ZR16	99W XL	654	233	7J	380AA	B	C	72dB (C1)
225/60R16	98H	676	228	6½J	380AA	C	C	71dB (C1)
225/60R16	102H XL	676	228	6½J	380AA	B	C	72dB (C1)
225/70R16	103T/103H	722	228	6½J	380AA	C	C	71dB (C1)
205/40R17	84W	596	212	7.5	400AA			



SOVOGUE SP717

HP TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
175/65R14	82H	584	177	5	400AA	C	D	70dB	(C1)
175/70R14	84H	602	177	5	400AA	C	D	70dB	(C1)
185/55R15	82V	585	194	6	400AA	C	D	70dB	(C1)
185/60R14	82H	578	189	5.5	400AA	C	D	70dB	(C1)
185/65R14	86H	596	189	5.5	400AA	C	D	70dB	(C1)
185/60R15	84H	603	189	5.5	400AA	C	D	70dB	(C1)
185/65R15	88H	621	189	5.5	400AA	C	D	70dB	(C1)
185/70R14	88H	616	189	5.5	400AA	C	D	70dB	(C1)
195/55R15	85V	595	201	6	400AA	C	D	71dB	(C1)
195/55R16	87H	620	201	6	400AA	C	D	71dB	(C1)
195/60R15	88H	615	201	6	400AA	C	D	71dB	(C1)
195/60R16	89H	640	201	6	400AA	C	D	71dB	(C1)
205/55R16	91V	632	214	6.5	400AA	C	D	71dB	(C1)
195/65R15	91H	635	201	6	400AA	C	D	71dB	(C1)
205/60R15	91V	627	209	6	400AA	C	D	71dB	(C1)
205/65R15	94H	647	209	6	400AA	C	D	71dB	(C1)
215/55R17	94V	668	226	7	400AA	C	D	71dB	(C1)
215/65R16	98H	686	221	6.5	400AA	C	D	71dB	(C1)
225/45R17	94W	634	225	7.5	400AA	C	D	72dB	(C1)
205/60R16	92H	652	209	6	400AA	C	D	71dB	(C1)
215/55R16	97V	642	226	7	400AA	C	D	72dB	(C1)
215/60R16	95V	664	221	6.5	400AA	C	D	71dB	(C1)



SP711

HP TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G		
145/70R12	69Q	509.00	150.00	4.50B	------	------	



SP712

HP TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G		
155/70R12	73Q	523	157	4.50B	------	------	

www.sportraktire.com

Insist on quality
Making good tires



SP726

UHP TIRE





Asymmetric tread design

four wide grooves design provide effective drainage and sufficient wet safety performance



Innovative technology

willow leaf shaped biomimetic tread block design adopting willow-shaped biomimetic pattern block design inside , effectively prevent abnormal wear of pattern block comers.together with"s" shaped on tread grooves , bring soft,silence and comfort

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
195/50R15	82V	577	201	6J	320AA	D	B	70dB (C1)
195/55R15	85V	595	201	6J	320AA	D	B	70dB (C1)
195/60R16	89H	640	201	6J	420AA	D	B	70dB (C1)
235/60R15	98H/98V	663	240	7J	320AA	D	B	71dB (C1)
245/60R15	101H/101V	675	248	7J	320AA	D	B	71dB (C1)
195/45R16	84V XL	582	195	6½J	320AA	E	B	71dB (C1)
205/45ZR16	87W XL	590	206	7J	320AA	E	B	71dB (C1)
205/50ZR16	91W XL	612	214	6½J	320AA	C	B	71dB (C1)
205/55ZR16	91W	632	214	6½J	320AA	E	B	70dB (C1)
215/40ZR16	86W XL	578	218	7½J	320AA	D	B	71dB (C1)
215/45ZR16	90W XL	598	218	7½J	420AA	D	B	71dB (C1)
215/55ZR16	97W XL	642	226	7J	320AA	C	B	71dB (C1)
225/50ZR16	96W XL	632	233	7J	320AA	E	B	71dB (C1)
225/55ZR16	99W XL	654	233	7J	320AA	E	B	71dB (C1)
225/65R16	100H/100V	698	228	6½J	320AA	D	B	71dB (C1)
235/65R16	103H	712	240	7J	320AA	D	B	71dB (C1)
205/40ZR17	84W XL	596	212	7½J	320AA	E	B	71dB (C1)
205/45ZR17	88W XL	616	206	7J	320AA	C	B	71dB (C1)
205/50ZR17	93W XL	638	214	6½J	320AA	C	B	71dB (C1)
205/55ZR17	95W XL	658	214	6½J	320AA	C	B	71dB (C1)
215/40ZR17	87W XL	604	218	7½J	320AA	E	B	71dB (C1)
215/45ZR17	91W XL	626	213	7J	320AA	C	B	71dB (C1)
215/50ZR17	95W XL	648	226	7J	320AA	C	B	71dB (C1)
215/55ZR17	98W XL	668	226	7J	320AA	C	B	71dB (C1)
225/40ZR17	90W XL	612	230	8J	420AA			
225/45ZR17	94W XL	634	225	7½J	320AA	E	B	71dB (C1)
225/50ZR17	98W XL	658	233	7J	320AA	C	B	71dB (C1)
225/55ZR17	101W XL	680	233	7J	320AA	C	B	71dB (C1)
225/60R17	99H/99V	702	228	6½J	320AA	D	B	71dB (C1)
235/45ZR17	97W XL	644	236	8J	320AA	E	B	71dB (C1)
235/50ZR17	96W	668	245	7½J	320AA	D	B	71dB (C1)
235/50ZR17	100W XL	668	245	7½J	320AA	D	B	71dB (C1)
235/55ZR17	103W XL	690	245	7½J	320AA	C	B	71dB (C1)
235/60R17	102H/102V	714	240	7J	320AA	D	B	71dB (C1)
245/40ZR17	95W XL	628	248	8½J	320AA	D	B	71dB (C1)
245/45ZR17	99W XL	652	243	8J	320AA	E	B	71dB (C1)
215/35ZR18	84W XL	607	218	7½J	320AA	E	B	71dB (C1)
215/40ZR18	89W XL	629	218	7½J	320AA	D	B	71dB (C1)
225/40ZR18	92W XL	637	230	8J	320AA	E	B	71dB (C1)
225/45ZR18	95W XL	659	225	7½J	320AA	C	B	71dB (C1)
225/50ZR18	99W XL	683	233	7J	420AA	C	B	71dB (C1)
225/55ZR18	102W XL	705	233	7J	320AA	C	B	71dB (C1)
235/40ZR18	95W XL	645	241	8½J	320AA	E	B	71dB (C1)
235/45ZR18	98W XL	669	236	8J	320AA	E	B	71dB (C1)
235/50ZR18	101W XL	693	245	7½J	320AA	C	B	71dB (C1)
235/55ZR18	104W XL	715	245	7½J	320AA	C	B	71dB (C1)
245/40ZR18	97W XL	653	248	8½J	320AA	E	B	71dB (C1)
245/45ZR18	100W XL	677	243	8J	320AA	C	B	71dB (C1)
245/50ZR18	100W	703	253	7½J	320AA	D	B	71dB (C1)
255/35ZR18	94Y XL	635	260	9J	320AA	E	B	72dB (C1)
255/40ZR18	99W XL	661	260	9J	320AA	D	B	72dB (C1)
255/45ZR18	103W XL	687	255	8½J	320AA	C	B	72dB (C1)
255/55R18	109H/109V XL	737	265	8J	320AA	C	B	72dB (C1)
265/35ZR18	97Y XL	643	271	9½J	320AA	E	B	72dB (C1)
215/35ZR19	85W XL	633	218	7½J	420AA			
225/30ZR19	84W XL	619	230	8J	320AA	D	B	71dB (C1)
225/35ZR19	88W XL	641	230	8J	320AA	E	B	71dB (C1)
235/35ZR19	91W XL	647	241	8½J	320AA	E	B	71dB (C1)
235/45ZR19	99W XL	695	236	8J	320AA	D	B	71dB (C1)
245/35ZR19	93W XL	655	248	8½J	320AA	E	B	71dB (C1)
245/40ZR19	98W XL	679	248	8½J	320AA	D	B	71dB (C1)
245/45ZR19	102W XL	703	243	8J	320AA	C	B	71dB (C1)
255/35ZR19	96W XL	661	260	9J	320AA	D	B	72dB (C1)
255/40ZR19	100W XL	687	260	9J	320AA	D	B	72dB (C1)
225/35ZR20	90W XL	666	230	8J	320AA	E	B	71dB (C1)
235/35ZR20	92W XL	672	241	8½J	320AA	E	B	71dB (C1)
245/35ZR20	95Y XL	680	248	8½J	320AA	E	B	71dB (C1)
255/35ZR20	97W XL	686	260	9J	320AA	D	B	72dB (C1)
265/45ZR20	108W XL	746	266	9J	320AA	D	B	72dB (C1)
265/50ZR20	111V XL	774	277	8½J	320AA	C	B	72dB (C1)
275/40ZR20	106W XL	728	278	9½J	320AA	E	B	72dB (C1)



SP766

SUV TIRE H/T





Four wide grooves design provide effective drainage and sufficient wet safety performance.




Design of central rib with sipes promotes the rigidity, help to balance high-speed performance and grip performance on wet land.



The compact shoulder design provide excellent handling performance with low noise.



Multiple blade groove pattern provide excellent grip and handling performance on wet land.



Performance Test




SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
215/75R15	100T	703	216	6J	440AA	E	C	71dB (C1)
225/75R15	102T	719	223	6J	440AA	E	C	71dB (C1)
235/75R15	105S	733	235	6½J	440AA	D	C	71dB (C1)
215/65R16	98H	686	221	6½J	440AA	D	C	72dB (C1)
215/70R16	100T	708	221	6½J	440AA	E	C	71dB (C1)
225/70R16	103T	722	228	6½J	440AA	E	C	71dB (C1)
235/60R16	100H/100V	688	240	7J	440AA	E	C	71dB (C1)
235/60R16	103T/103H	712	240	7J	440AA	D	C	71dB (C1)
235/70R16	106T	736	240	7J	440AA	E	C	71dB (C1)
245/70R16	107T	750	248	7J	440AA	E	C	71dB (C1)
255/65R16	109H	738	260	7½J	440AA	E	C	72dB (C1)
255/70R16	111T	764	260	7½J	440AA	E	C	72dB (C1)
265/70R16	112T	778	272	8J	440AA	E	C	72dB (C1)
275/70R16	114T/114H	792	279	8J	440AA	E	C	72dB (C1)
215/60R17	96H	690	221	6½J	440AA	E	C	71dB (C1)
215/65R17	99H	712	221	6½J	440AA	D	C	71dB (C1)
225/60R17	99H	712	221	6½J	440AA	D	C	71dB (C1)
225/65R17	102H	724	228	6½J	440AA	C	C	72dB (C1)
225/65R17	106H XL	724	228	6½J	440AA	C	C	72dB (C1)
235/55R17	103V XL	690	245	7½J	440AA	E	C	72dB (C1)
235/65R17	108H XL	738	240	7J	440AA	C	C	72dB (C1)
245/65R17	111H XL	750	248	7J	440AA	C	C	72dB (C1)
255/60R17	106V	738	260	7½J	440AA	E	C	72dB (C1)
255/65R17	110T/110H	764	260	7½J	440AA	D	C	72dB (C1)
265/65R17	112H	776	272	8J	440AA	E	C	72dB (C1)
265/65R17	116H XL	776	272	8J	440AA	C	C	73dB (C1)
275/65R17	115H	790	279	8J	440AA	C	C	72dB (C1)
245/70R17	110T/110H	776	248	7J	440AA	D	C	72dB (C1)
265/70R17	115T/115H	804	272	8J	440AA	C	C	72dB (C1)
285/65R17	116H XL	802	292	8½J	440AA	E	C	74dB (C1)
215/55R18	95V	693	226	7J	440AA	D	C	71dB (C1)
225/60R18	100H/100V	727	228	6½J	440AA	D	C	71dB (C1)
235/55R18	104V XL	715	245	7½J	440AA	E	C	72dB (C1)
255/55R18	109V XL	737	265	8J	440AA	E	C	73dB (C1)
235/60R18	107H XL	739	240	7J	440AA	D	C	72dB (C1)
235/65R18	110H XL	763	240	7J	440AA	D	C	71dB (C1)
245/60R18	105H/105V	751	248	7J	440AA	D	C	72dB (C1)
255/60R18	112H/112V XL	763	260	7½J	440AA	D	C	73dB (C1)
265/60R18	110H	775	272	8J	440AA	E	C	72dB (C1)
265/65R18	114H	801	272	8J	440AA	D	C	72dB (C1)
265/70R18	116T	829	272	8J	440AA	D	C	72dB (C1)
275/65R18	116H	815	279	8J	440AA	E	C	72dB (C1)
235/50R19	99V	719	245	7½J	440AA	D	C	71dB (C1)
245/55R19	103V	753	253	7½J	440AA	D	C	72dB (C1)
255/50R19	103V	739	265	8J	440AA	D	C	72dB (C1)
255/50R19	107V XL	739	265	8J	440AA	D	C	72dB (C1)
255/55R19	111H/111V XL	763	265	8J	440AA	D	C	73dB (C1)
265/50R19	110V XL	749	277	8½J	440AA	D	C	73dB (C1)
265/55R19	109V	775	277	8½J	440AA			------
275/45R19	108V XL	731	273	9J	440AA	D	C	73dB (C1)
275/55R19	111V	785	284	8½J	440AA	D	C	72dB (C1)
285/50R20	116V XL	794	297	9J	440AA	C	C	75dB (C1)
265/55R20	113V XL	800	277	8½J	440AA			------
205/70R15	100T XL	669	209	6J	440AA	E	C	72dB (C1)
255/70R15	108T	739	260	7½J	440AA	D	C	72dB (C1)
265/70R15	112T/112S	753	272	8J	440AA	D	C	72dB (C1)




SP788

UHP TIRE







"Flying wing type" high gradient of single-oriented symmetrical pattern design, giving the tire super visual sense of speed, drainage performance and curve control.



Four wide and deep longitudinal groove design, giving the tire excellent wetland drainage performance and handling stability.




Central wide rib design, ensuring the steering performance.



Variable width of the groove design can effectively avoid airflow frequency vibration, prevent entrained gravel, reduce abnormal wear and improve the tire service life.

Performance Test






SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
255/45ZR17	98W	662	255	8½J	320AA	D	B	71dB	(C1)
255/45R17	98V	662	255	8½J	320AA		———		
235/45ZR18	98E XL	669	236	8J	320AA	D	B	70dB	(C1)
255/40ZR18	99W XL	661	260	9J	320AA	D	B	71dB	(C1)
265/40ZR18	101W XL	669	271	9½J	420AA		———		
235/55ZR19	105W XL	741	245	7½J	320AA	C	B	71dB	(C1)
245/35ZR19	93W XL	655	248	8½J	320AA	D	B	70dB	(C1)
245/45ZR19	102W XL	703	243	8J	320AA	C	B	70dB	(C1)
245/55ZR19	103W	753	253	7½J	320AA	D	B	70dB	(C1)
265/30ZR19	93W XL	643	271	9½J	320AA	D	B	71dB	(C1)
255/45ZR19	104W XL	713	255	8½J	420AA		———		
275/40ZR19	105W XL	703	278	9½J	420AA		———		
285/45ZR19	111W XL	739	285	9½J	420AA		———		
235/30ZR20	88W XL	651	241	8½J	320AA	D	B	70dB	(C1)
245/35ZR20	95W XL	680	248	8½J	320AA	D	B	70dB	(C1)
245/45ZR20	103W XL	728	243	8J	320AA	C	B	70dB	(C1)
245/50ZR20	102W	754	253	7½J	320AA	D	B	70dB	(C1)
255/45ZR20	105W XL	738	255	8½J	320AA	C	B	71dB	(C1)
255/50ZR20	109Y XL	764	265	8J	320AA	C	B	71dB	(C1)
255/50ZR20	109W XL	764	265	8J	320AA	C	B	71dB	(C1)
255/55ZR20	110W XL	788	265	8J	420AA		———		
265/40ZR20	104Y XL	720	271	9½J	320AA	D	B	71dB	(C1)
265/50ZR20	111W XL	774	277	8½J	320AA	C	B	71dB	(C1)
275/35ZR20	102W XL	700	278	9½J	320AA	D	B	72dB	(C1)
275/40ZR20	106W XL	728	278	9½J	320AA	D	B	72dB	(C1)
275/40R20	106V XL	728	278	9½J	320AA		———		
275/45ZR20	110W XL	756	273	9J	320AA	D	B	72dB	(C1)
275/55R20	117V XL	810	284	8½J	320AA		———		
275/55ZR20	117W XL	810	284	8½J	320AA	D	B	72dB	(C1)
275/60ZR20	115W	838	279	8J	420AA		———		
285/50ZR20	116W XL	794	297	9J	320AA	D	B	73dB	(C1)
225/30ZR22	86W XL	695	230	8J	320AA	D	B	70dB	(C1)
235/30ZR22	90W XL	701	241	8½J	320AA	D	B	70dB	(C1)
245/30ZR22	92W XL	707	248	8½J	320AA	D	B	70dB	(C1)
255/30ZR22	95W XL	713	260	9J	320AA	D	B	71dB	(C1)
265/30ZR22	97W XL	719	271	9½J	320AA	D	B	71dB	(C1)
265/35ZR22	102W XL	745	271	9½J	320AA	D	B	71dB	(C1)
265/40ZR22	106W XL	771	271	9½J	320AA	D	B	71dB	(C1)
285/35ZR22	106W XL	759	290	10J	320AA	D	B	73dB	(C1)
285/45ZR22	114W XL	815	285	9½J	320AA	C	B	73dB	(C1)
295/25ZR22	97Y XL	707	301	10½J	320AA	D	B	73dB	(C1)
295/30ZR22	103W XL	737	301	10½J	320AA	D	B	73dB	(C1)
305/40ZR22	114W XL	803	313	11J	320AA	D	B	73dB	(C1)
305/45ZR22	118W XL	833	303	10J	320AA	D	B	73dB	(C1)
255/30ZR24	97W XL	764	260	9J	320AA	D	B	71dB	(C1)
275/25ZR24	96W XL	748	283	10J	320AA	D	B	72dB	(C1)
275/30ZR24	101W XL	776	278	9½J	320AA	D	B	72dB	(C1)
295/35R24	110V XL	816	301	10½J	320AA		———		
295/35ZR24	110W XL	816	301	10½J	320AA	D	B	73dB	(C1)
235/50ZR19	103W XL	719	255	7½J	420AA	C	B	70dB	(C1)
315/35ZR20	110W XL	728	320	11J	420AA		———		
305/35ZR24	112W XL	824	313	11J	420AA		———		




SP7866

UHP TIRE/RUN-FLAT TIRE





Smooth asymmetric pattern,ensuring better controlling performance of outside while enhancing drainage of inside



Four wide and deep longitudinal groove design, giving the tire excellent wetland drainage performance and handling stability.




Outside shoulder reinforcement improving handling performance at curve, effectively preventing abnormal wear.



Bended steel groove,effectively reducing the noise while enlarging ground contact area.

Performance Test





UHP TIRE SIZE RANGE

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
245/45ZR17	99W XL	652	243	8J	320AA	------
235/45ZR18	98W XL	669	236	8J	320AA	------
275/40ZR18	99Y	677	278	9½J	320AA	------
225/40ZR19	96W XL	685	225	7½J	320AA	------
255/45ZR19	104W XL	713	255	8½J	320AA	------
285/40ZR19	103Y	711	290	10J	320AA	------
285/40ZR19	107Y	711	290	10J	320AA	------
245/45ZR20	103W XL	728	243	8J	320AA	------
255/40ZR20	101W XL	712	260	9J	320AA	------
265/40ZR20	104W XL	720	271	9½J	320AA	------
275/40ZR20	106W XL	728	278	9½J	320AA	------
275/40ZR20	106V XL	728	278	9½J	320AA	------

RUN-FLAT TIRE SIZE RANGE

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
225/50ZRF17	98W XL	658	233	7J	320AA	------
225/55ZRF17	101W XL	680	233	7J	320AA	------
225/45ZRF18	95W XL	659	225	7½J	320AA	------
245/45ZRF18	100W XL	677	243	8J	320AA	------
245/50ZRF18	100W	703	253	7½J	320AA	------
255/40ZRF18	99W XL	661	260	9J	320AA	------
255/55RF18	109V XL	737	265	8J	320AA	------
255/55ZRF18	109W XL	737	265	8J	320AA	------
255/50RF19	107V XL	739	265	8J	320AA	------
255/50ZRF19	107W XL	739	265	8J	320AA	------
235/55ZR20	105W XL	766	245	7½J	420AA	------

SP750

UHP TIRE



Performance Test



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
215/35R19	85Y XL	633	218	7.5J	500AA	C	C	72dB	(C1)
225/35R19	88Y XL	641	230	8J	500AA	C	C	72dB	(C1)
225/40R19	93W XL	663	230	8J	500AA	C	C	72dB	(C1)
235/35R19	91Y XL	647	241	8.5J	500AA	C	C	72dB	(C1)
245/35R19	93Y XL	655	248	8.5J	500AA	C	C	72dB	(C1)
245/40R19	98W XL	679	248	8.5J	500AA	C	C	72dB	(C1)
245/45R19	102W XL	703	243	8J	500AA	C	C	72dB	(C1)
255/40R19	100W XL	687	260	9J	500AA	C	C	73dB	(C1)
255/45R19	104W XL	713	255	8.5J	500AA	C	C	73dB	(C1)
255/50R19	107W XL	739	265	8J	500AA	C	C	73dB	(C1)
265/30R19	93Y XL	643	271	9.5J	500AA	C	C	73dB	(C1)
275/30R19	96Y XL	649	278	9.5J	500AA	C	C	73dB	(C1)

SP762

UHP TIRE



Performance Test



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
205/45ZR16	87W	590	206	7J	------	C	B	72dB	(C1)
215/40ZR17	87W	604	218	7½J	------	C	B	72dB	(C1)
215/45ZR17	91W	626	213	7J	------	C	B	72dB	(C1)
215/45ZR18	93W	651	213	7J	------	C	B	72dB	(C1)
215/50ZR17	95W XL	648	226	7J	------	C	B	72dB	(C1)
215/55R18	99V XL	693	226	7J	------	C	B	72dB	(C1)
225/40ZR18	92W XL	637	230	8J	------	C	B	72dB	(C1)
225/45ZR17	94W XL	634	225	7½J	------	C	B	72dB	(C1)
225/45ZR18	95W XL	659	225	7½J	------	C	B	72dB	(C1)
235/40ZR18	95W XL	645	241	8½J	------	C	B	72dB	(C1)
235/50ZR18	101W	693	245	7½J	------	C	B	72dB	(C1)
235/50R19	103V XL	719	245	7½J	------	C	B	72dB	(C1)
235/55R18	104V XL	715	245	7½J	------	C	B	72dB	(C1)
245/45ZR18	100W	677	243	8J	------	C	B	72dB	(C1)
265/50ZR20	111W XL	774	277	8½J	------	C	B	73dB	(C1)
265/40ZR21	105W XL	745	271	9½J	------	C	B	73dB	(C1)
265/45ZR21	104W	771	266	9J	------	C	B	72dB	(C1)

SP7888

UHP TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
215/50ZR18	96W XL	673	215	7J	420AA	------
235/40ZR19	96W XL	671	241	8½J	420AA	------
235/50ZR20	104W XL	744	245	7½J	420AA	------

SP700

UHP TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
255/45R21	105Y XL	763	255	8½J	420AA	------
265/40R21	105Y XL	745	271	9½J	420AA	------
265/45R21	108Y XL	771	266	9J	420AA	------
275/40R21	107Y XL	753	278	9½J	420AA	------
275/45R21	110Y XL	781	273	9J	420AA	------
295/35R21	107Y XL	739	301	10½J	420AA	------
295/40R21	111Y XL	769	301	10½J	420AA	------
315/35R21	111Y XL	753	320	11J	420AA	------



TOTI 4S
SP798

PREMIUM 4 SEASON TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
165/70R14	85T	588	170	5	400AA	C	B	73dB	(C1)
175/65R14	86H	584	177	5	400AA	C	B	73dB	(C1)
185/55R15	86H	585	194	6	400AA	C	B	73dB	(C1)
185/60R14	86H	578	189	5.5	400AA	C	B	73dB	(C1)
185/60R15	88V	603	189	5.5	400AA	C	B	73dB	(C1)
185/65R15	92T	621	189	5.5	400AA	C	B	73dB	(C1)
185/65R15	92V	621	189	5.5	400AA	C	B	73dB	(C1)
195/45R16	84V	582	195	6.5	400AA	C	B	73dB	(C1)
195/50R15	82V	577	201	6	400AA	C	B	73dB	(C1)
195/55R15	89V	595	201	6	400AA	C	B	73dB	(C1)
195/60R15	92V	615	201	6	400AA	C	B	73dB	(C1)
195/65R15	91H	635	201	6	400AA	C	B	73dB	(C1)
195/65R15	95V	635	201	6	400AA	C	B	73dB	(C1)
205/45R17	88W	616	206	7	400AA	C	B	73dB	(C1)
205/55R16	91H	632	214	6.5	400AA	C	B	73dB	(C1)
205/55R16	94V	632	214	6.5	400AA	C	B	73dB	(C1)
215/55R16	97V	642	226	7	400AA	C	B	73dB	(C1)
215/55R18	99V	693	226	7	400AA	C	B	73dB	(C1)
225/45R17	94W	634	225	7.5	400AA	C	B	73dB	(C1)
225/40R18	92W	637	230	8	400AA	C	B	73dB	(C1)
245/40ZR18	97W	677	243	8	------			------	

www.sportraktire.com

Defy the Elements,
Dominate the Trail



SP786

SUV TIRE A/T





Chamfer design of the pattern:

Prevent stone nipped, enhance the ability to get rid of the stone



Wide shoulder pattern design:

Enhance the block rigidity, endurance,weight-carrying ability and steering qualities during driving



Staggered central rib design:

Solid staggered central rib design ensures straight-line driving stability and safety



Multi-steel strap design:

Promote the grip performance on wet and dry land, enhance the tractive performance

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
215R15C	113/111S-8PR	724	218	6J	480AB	E	E	73dB	(C2)
215/75R15LT	100/97Q-6PR	709	216	6J	480AB	E	E	73dB	(C2)
215/75R15LT	100/97R-6PR	709	216	6J	480AB	E	E	73dB	(C2)
225/75R15LT	108/104Q-8PR	725	223	6J	480AB	E	E	73dB	(C2)
225/75R15LT	108/104R-8PR	725	223	6J	480AB	E	E	73dB	(C2)
235/75R15LT	116/113Q-10PR	739	235	6½J	480AB	E	E	73dB	(C2)
235/75R15LT	116/113R-10PR	739	235	6½J	480AB	E	E	73dB	(C2)
30×9.50R15LT	104Q-6PR	756	240	7½J	480AB	E	E	73dB	(C2)
31×10.50R15LT	109R-6PR	781	268	8½J	480AB	E	E	73dB	(C2)
31×10.50R15LT	109S-6PR	781	268	8½J	480AB	E	E	73dB	(C2)
205R16C	110/108S-8PR	736	208	6J	480AB	E	E	73dB	(C2)
215/70R16	100S	708	221	6½J	480AB	D	D	71dB	(C1)
215/70R16	100T	708	221	6½J	480AB	D	D	71dB	(C1)
215/80R16	107S XL	750	216	6J	480AA				
215/85R16LT	110/107Q-8PR	778	216	6J	480AB	E	E	73dB	(C2)
215/85R16LT	110/107R-8PR	778	216	6J	480AB	E	E	73dB	(C2)
215/85R16LT	115/112Q-10PR	778	216	6J	480AB	E	E	73dB	(C2)
215/85R16LT	115/112R-10PR	778	216	6J	480AB	E	E	73dB	(C2)
225/70R16	103S	722	228	6½J	480AB	D	D	71dB	(C1)
225/70R16	103T	722	228	6½J	480AB	D	D	71dB	(C1)
225/75R16LT	115/112Q-10PR	750	223	6J	480AB	E	E	73dB	(C2)
225/75R16LT	115/112R-10PR	750	223	6J	480AB	E	E	73dB	(C2)
235/70R16	106S	736	240	7J	480AB	D	D	71dB	(C1)
235/70R16	106T	736	240	7J	480AB	D	D	71dB	(C1)
235/85R16LT	120/116Q-10PR	812	235	6½J	480AB	E	E	73dB	(C2)
235/85R16LT	120/116R-10PR	812	235	6½J	480AB	E	E	73dB	(C2)
245/70R16	107S	750	248	7J	480AB	D	D	71dB	(C1)
245/70R16	107T	750	248	7J	480AB	D	D	71dB	(C1)
245/75R16LT	120/116Q-10PR	780	248	7J	480AB	E	E	73dB	(C2)
245/75R16LT	120/116R-10PR	780	248	7J	480AB	E	E	73dB	(C2)
255/70R16	111S	764	260	7½J	480AB	D	D	72dB	(C1)
255/70R16	111T	764	260	7½J	480AB	D	D	72dB	(C1)
265/70R16	112S	778	272	8J	480AB	D	C	72dB	(C1)
265/70R16	112T	778	272	8J	480AB	D	C	72dB	(C1)
265/70R16LT	121/118R-10PR	784	272	8J	480AB	E	C	73dB	(C2)
265/70R16LT	121/118S-10PR	784	272	8J	480AB	E	C	73dB	(C2)
265/75R16LT	123/120Q-10PR	810	267	7½J	480AB	E	C	75dB	(C3)
265/75R16LT	123/120R-10PR	810	267	7½J	480AB	E	C	75dB	(C3)
275/70R16	114S	792	279	8J	480AB	D	C	72dB	(C1)
275/70R16	114T	792	279	8J	480AB	D	C	72dB	(C1)
285/75R16LT	126/123Q-10PR	840	286	8J	480AB	E	C	75dB	(C3)
285/75R16LT	126/123R-10PR	840	286	8J	480AB	E	C	75dB	(C3)
235/80R17LT	120/117Q-10PR	814	235	6½J	480AB	E	E	73dB	(C2)
235/80R17LT	120/117R-10PR	814	235	6½J	480AB	E	E	73dB	(C2)
245/70R17LT	119/116R-10PR	782	248	7J	480AB	E	E	73dB	(C2)
245/70R17LT	119/116S-10PR	782	248	7J	480AB	E	E	73dB	(C2)
245/75R17LT	121/118Q-10PR	806	248	7J	480AB	E	E	73dB	(C2)
245/75R17LT	121/118R-10PR	806	248	7J	480AB	E	E	73dB	(C2)
265/65R17	112S	776	272	8J	480AB	D	C	72dB	(C1)
265/65R17	112T	776	272	8J	480AB	D	C	72dB	(C1)
265/70R17	115S	804	272	8J	480AB	D	C	72dB	(C1)
265/70R17	115T	804	272	8J	480AB	D	C	72dB	(C1)
265/70R17LT	121/118R-10PR	810	272	8J	480AB	E	C	73dB	(C2)
265/70R17LT	121/118S-10PR	810	272	8J	480AB	E	C	73dB	(C2)
275/65R17	115S	790	279	8J	480AB	D	C	72dB	(C1)
275/65R17	115T	790	279	8J	480AB	D	C	72dB	(C1)
285/70R17LT	121/118R-8PR	838	292	8½J	480AB	E	C	73dB	(C2)
285/70R17LT	121/118S-8PR	838	292	8½J	480AB	E	C	73dB	(C2)
235/60R18	107H XL	739	240	7J	480AB				
255/55R18	109H XL	737	265	8J	480AB				
265/60R18	110H	775	272	8J	480AB				
285/60R18	120H	815	297	8J	480AB	D	C	74dB	(C1)
265/70R18LT	124/121R-10PR	829	272	8J	480AB	E	C	75dB	(C3)
265/70R18LT	124/121S-10PR	829	272	8J	480AB	E	C	75dB	(C3)
275/65R18LT	123/120S-10PR	821	279	8J	480AB	E	C	75dB	(C3)



SP756

SUV TIRE M/T



PRODUCT FEATURES

Block block shoulder design increases the intensity of the pattern.The high and improve the passing performance.The interlaced middle block and different design on both side improve the cross-country performance.Fearless road conditions,professional MT tire

Performance Test



SIZE	LOAD INDEX & SPEED RATING	STANDARD RIM	MAX.LOAD(kg)	MAX.PRESSURE(kpa)
35*12.5R17LT	121Q	10.0J	1450	450
33*12.5R18LT	118Q	10.0J	1320	450
35*12.5R18LT	123Q	10.0J	1550	450
235/75R15LT	116/113Q 110/107Q	6.5J	1250/1150	550
30×9.50R15LT	104Q	7.5J	900	350
31×10.50R15LT	109Q	8.5J	1030	350
245/75R16LT	120/116Q 114/111Q	7.0J	1400/1250	550
265/75R16LT	123/120Q 119/116Q	7.5J	1550/1400	550
285/75R16LT	126/123Q	8.0J	1700/1550	550
265/70R17LT	121/118Q	8.0J	1450/1320	550
285/70R17LT	121/118Q	8.5J	1450/1320	550
33×12.50R20LT	114Q	10.0J	1180	450
35×12.50R20LT	121Q	10.0J	1450	450



WPRO SP789 OWL

SUV TIRE A/T



1.High abrasion tread compound combined with widened tread width to enhance expected mileage markedly
2.Specially designed shoulder curve can effectively protect against overwear and avoid early damage
3.Multiple wide grooves to provide excellent drainage performance and wet grip
4.Reinforced tyre body and band structure to provide stronger load capacity

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
LT235/75R15	116/113S	733	235	6.5	———	———
205/70R15	96T	669	209	6	400AA	———
LT31*10.50R15	109R	775	248	8.5	———	———
215/70R16	100H	708	221	6.5	———	———
LT235/85R16	120/116R 10PR	806	235	6.5	———	———
245/70R16	107T	750	248	7	———	———
LT245/75R16	120/116R	774	248	7	———	———
265/70R16	112T	778	272	8	———	———
LT265/75R16	123/120R	804	267	7.5	———	———
LT285/75R16	126/123R	834	286	8	———	———
225/65R17	102T	724	228	6.5	500AA	———
235/65R17	104T	738	240	7	500AA	———
LT235/80R17	120/117R	808	235	6.5	———	———
245/65R17	107T	750	248	7	500AA	———
265/65R17	112H	776	272	8	———	———
LT285/70R17	121/118S	832	292	8.5	———	———



WPRO SP799 OWL

SUV TIRE M/T



1.High abrasion tread compound to enhance expected mileage markedly
2.Specially designed shoulder curve can effectively protect against overwear and avoid early damage

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G		
31×10.50R15LT	109Q	775	268	8.5	———	———	
LT245/70R16	118/115Q-10PR	750	248	7	———	———	
LT245/75R16	120/116Q	774	248	7	———	———	
LT265/70R16	121/118Q-10PR	778	272	8	———	———	
LT265/75R16	123/120Q	804	267	7.5	———	———	
LT285/75R16	126/123Q	834	286	8	———	———	
LT245/70R17	119/116Q-10PR	776	248	7	———	———	
LT265/65R17	120/117Q-10PR	776	272	8	———	———	
LT285/70R17	121/118Q	832	292	8.5	———	———	
LT265/70R17	121/118Q	804	272	8	———	———	
33×12.50R18LT	118Q	826	318	10	———	———	
33×12.50R20LT	114Q	826	318	10	———	———	
35×12.50R20LT	121Q	877	318	10	———	———	

WPRO SP784 OWL

SUV TIRE A/T



1.High abrasion tread compound combined with widened tread width to enhance expected mileage markedly
2.Specially designed shoulder curve can effectively protect against overwear and avoid early damage
3.Multiple wide grooves to provide excellent drainage performance and wet grip
4.Reinforced tyre body and band structure to provide stronger load capacity

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
215/75R15LT	100/97R-6PR	709	216	6J	480AB	E	E	73dB (C2)
225/75R15LT	108/104R-8PR	725	223	6J	480AB	E	E	73dB (C2)
235/75R15LT	116/113R-10PR	739	235	6½J	480AB	E	E	73dB (C2)
30×9.50R15LT	104Q-6PR	756	240	7½J	480AB	E	E	73dB (C2)
31×10.50R15LT	109S-6PR	781	268	8½J	480AB	E	E	73dB (C2)
215/70R16	100T	708	221	6½J	480AB	D	D	71dB (C1)
215/80R16	107S XL	750	216	6J	480AA	———		
215/85R16LT	115/112R-10PR	778	216	6J	480AB	E	E	73dB (C2)
225/70R16	103T	722	228	6½J	480AB	D	D	71dB (C1)
225/75R16LT	115/112R-10PR	750	223	6J	480AB	E	E	73dB (C2)
235/70R16	106T	736	240	7J	480AB	D	D	71dB (C1)
235/85R16LT	120/116R-10PR	812	235	6½J	480AB	E	E	73dB (C2)
245/70R16	107T	750	248	7J	480AB	D	D	71dB (C1)
245/75R16LT	120/116R-10PR	780	248	7J	480AB	E	E	73dB (C2)
255/70R16	111T	764	260	7½J	480AB	D	D	72dB (C1)
265/70R16	112T	778	272	8J	480AB	D	C	72dB (C1)
265/70R16LT	121/118S-10PR	784	272	8J	480AB	E	C	73dB (C2)
265/75R16LT	123/120R-10PR	810	267	7½J	480AB	E	C	75dB (C3)
275/70R16	114T	792	279	8J	480AB	D	C	72dB (C1)
285/75R16LT	126/123R-10PR	840	286	8J	480AB	E	C	75dB (C3)
235/80R17LT	120/117R-10PR	814	235	6½J	480AB	E	E	73dB (C2)
245/70R17LT	119/116S-10PR	782	248	7J	480AB	E	E	73dB (C2)
245/75R17LT	121/118R-10PR	806	248	7J	480AB	E	E	73dB (C2)
265/65R17	112T	776	272	8J	480AB	D	C	72dB (C1)
265/70R17	115T	804	272	8J	480AB	D	C	72dB (C1)
265/70R17LT	121/118S-10PR	810	272	8J	480AB	E	C	73dB (C2)
275/65R17	115T	790	279	8J	480AB	D	C	72dB (C1)
285/70R17LT	121/118S-8PR	838	292	8½J	480AB	E	C	73dB (C2)
235/60R18	107H XL	739	240	7J	480AB		———	
255/55R18	109H XL	737	265	8J	480AB		———	
265/60R18	110H	775	272	8J	480AB		———	
285/60R18	120H	815	297	8J	480AB	D	C	74dB (C1)
265/70R18LT	124/121S-10PR	829	272	8J	480AB	E	C	75dB (C3)
275/65R18LT	123/120S-10PR	821	279	8J	480AB	E	C	75dB (C3)
32×11.50R15LT	113Q-6PR	807	290	9J	———		———	
33×12.50R15LT	108Q-6PR	832	318	10J	———		———	
33×12.50R17LT	120Q-10PR	832	318	10J	———		———	
33×12.50R18LT	118Q-10PR	832	318	10J	———		———	
33×12.50R20LT	119Q-12PR	832	318	10J	———		———	
35×12.50R15LT	113Q-6PR	883	318	10J	———		———	
35×12.50R20LT	125Q-12PR	883	318	10J	———		———	
37×12.50R17LT	124Q-8PR	934	318	10J	———		———	
37×13.50R20LT	127Q-10PR	934	345	11J	———		———	
LT275/55R20	120/117Q-10PR	810	284	8½J	———		———	
LT285/55R20	122/119Q-10PR	822	297	9J	———		———	
LT315/75R16	127/124Q-10PR	878	313	8½J	———		———	

SP752

SUV TIRE M/T





PRODUCT FEATURES

The design with opened cross-grooves/shoulders provide better capability with self-cleaning and grasp force,improved the trafficability on mud/damaged road.

The utilization with wave-shape steel plates greately improved the grasp force of the tire.

The design with tooth-mate pattern grooves makes the tires having better self-cleaning capability, and improved the grasp force and trafficability on damaged road.

The design with anti-collision rib improved the self-cleaning capability and avoid the stones clamped and improved the puncture resistance of the tire.

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
32×11.50R15LT 6PR	113Q	807	290	9J	———	———
33×12.50R15LT 6PR	108Q	832	318	10J	———	———
35×12.50R15LT 6PR	113Q	883	318	10J	———	———
LT235/85R16 10PR	120/116Q	812	235	6½J	———	———
LT245/75R16 10PR	120/116Q	780	248	7J	———	———
LT265/75R16 10PR	123/120Q	810	267	7½J	———	———
LT285/75R16 10PR	126/123Q	840	286	8J	———	———
LT305/70R16 10PR	124/121Q	834	311	9J	———	———
LT315/75R16 10PR	127/124Q	878	313	8½J	———	———
LT235/80R17 10PR	120/117Q	808	235	6½J	———	———
LT245/75R17 10PR	121/118Q	800	248	7J	———	———
LT255/75R17 6PR	111/108Q	814	255	7J	———	———
33×12.50R17LT 10PR	120Q	832	318	10J	———	———
37×12.50R17LT 8PR	124Q	834	318	10J	———	———
33×12.50R18LT 10PR	118Q	832	318	10J	———	———
LT275/60R20 10PR	123120S	844	279	8J	———	———
LT275/55R20 10PR	120/117Q	810	284	8½J	———	———
LT285/55R20 10PR	122/119Q	822	297	9J	———	———
LT305/55R20 10PR	121/118Q	844	316	9½J	———	———
33×12.50R20LT 12PR	119Q	832	318	10J	———	———
35×12.50R20LT 12PR	125Q	883	318	10J	———	———
37×13.50R20LT 10PR	127Q	834	345	11J	———	———
33×12.50R22LT 12PR	114Q	832	318	10J	———	———
35×12.50R22LT 12PR	121Q	883	318	10J	———	———
33×14.50R22LT 12PR	117Q	832	372	12J	———	———
LT365/45R24 12PR	125Q	835	365	11½J	———	———
33×12.50R24LT 10PR	104Q	832	318	10J	———	———
35×12.50R24LT 10PR	117Q	883	318	10J	———	———
37×13.50R24LT 12PR	126Q	934	345	11J	———	———
33×12.50R26LT 10PR	114Q	832	318	10J	———	———
35×13.50R26LT 10PR	118Q	883	345	11J	———	———
37×13.50R26LT 12PR	117Q	934	345	11J	———	———
37×14.50R28LT 12PR	118Q	935	368	11½J	———	———
40×15.50R28LT 10PR	126Q	1011	389	12J	———	———
42×13.50R30LT 12PR	125Q	1062	343	11J	———	———
42×16.50R30LT 10PR	127Q	1062	419	13½J	———	———

MONTANA SP780

SUV TIRE R/T



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
235/75R15LT	116/113Q-10PR	739	235	6½J	———	———
245/70R16LT	113/110Q-8PR	756	245	7J	———	———
265/70R16LT	121/118Q-10PR	784	272	8J	———	———
265/75R16LT	119/116Q-8PR	810	267	7½J	———	———
265/65R17LT	120/117Q-10PR	782	272	8J	———	———
265/70R17LT	121/118Q-10PR	810	272	8J	———	———
33×12.50R18LT	118Q-10PR	832	318	10J	———	———
33×12.50R20LT	114Q-10PR	832	318	10J	———	———

www.sportraktire.com

Every Mile Counts,
Every Tire Pays

SP722

COMMERCIAL VAN TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
215/70R15C	109/107R-8PR	683	221	6.5	———	———
205/70R15C	106/104R-8PR	669	209	6.0	———	———
225/70R15C	116/114R-10PR	697	228	6.5	———	———
195/70R15C	104/102R-8PR	655	201	6.0	———	———
235/65R16C	116/114R-10PR	712	240	7.0	———	———
195R15C	106/104R-8PR	693	196	5.5	———	———
195R14C	106/104R-8PR	666	198	5.5	———	———
185R14C	102/100R-8PR	650	188	5.5	———	———

WPRO SP769S WSW

COMMERCIAL VAN TIRE



1.High abrasion tread compound to enhance expected mileage markedly
2.Three straight mian pattern grooves to enhance outstanding wet grip
3.Reinforced tyre body and band structure to provide stronger load capacity

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
185R14C	102/100Q	650	188	5.5	———	———
195R14C	106/104Q	666	198	5.5	———	———
195R15C	106/104Q	693	196	5.5	———	———
205/75R14C	109/107R-8PR	664	203	5.5	———	———
195/70R15C	104/102R	655	201	6	———	———
205/70R15C	106/104R	669	209	6	———	———
225/70R15C	112/110R-8PR	697	228	6.5	———	———



SP796

COMMERCIAL VAN TIRE



Innovative Technology



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
175/65R14C	90/88T-6PR	584	177	5J	------		------	
185R14C	102/100S-8PR	650	188	5½J	------	C	E	72dB (C2)
195R14C	106/104S-8PR	666	198	5½J	------	C	E	72dB (C2)
205R14C	109/107R-8PR	684/686	208	6J	------	C	E	72dB (C2)
215/75R14C	112/110R-8PR	678	216	6J	------	C	E	72dB (C2)
195R15C	106/104S-8PR	693	196	5½J	------	C	C	72dB (C2)
6.50R15C	106/101N-10PR	730	180	5.50F	------		------	
7.00R15LT	109/105N-10PR	750	200	5.50F	------		------	
6.50R16C	108/107N-10PR	750	185	4½J	------	C	E	72dB (C2)
6.50R16LT	107/102N-10PR	750	185	5.50F	------		------	
7.00R16C	117/116N-12PR	775	200	5½J	------	C	E	72dB (C2)
7.50R16C	121/120N-12PR	805	215	6.00G	------	C	E	72dB (C2)
195/70R15C	104/102S-8PR	655	201	6J	------	C	E	72dB (C2)
205/70R15C	106/104S-8PR	669	209	6J	------	C	E	72dB (C2)
215/70R15C	109/107S-8PR	683	221	6½J	------	C	E	72dB (C2)
225/70R15C	112/110S-8PR	697	228	6½J	------	C	E	72dB (C2)
175/75R16C	98/96Q-6PR	668	177	5J	------	C	E	72dB (C2)
185/75R16C	104/102S-8PR	684	184	5J	------	C	E	72dB (C2)
195/60R16C	99/97T-6PR	640	201	6J	------	C	E	72dB (C2)
195/65R16C	104/102T-8PR	660	201	6J	------	C	E	72dB (C2)
195/75R16C	107/105S-8PR	698	196	5½J	------	C	E	72dB (C2)
205/65R16C	107/105T-8PR	672	209	6J	------	C	E	72dB (C2)
205/75R16C	110/108R-8PR	714	203	5½J	------	C	E	72dB (C2)
215/60R16C	103/101T-6PR	664	221	6½J	------	C	E	72dB (C2)
215/65R16C	109/107T-8PR	686	221	6½J	------	C	E	72dB (C2)
215/75R16C	113/111S-8PR	728	216	6J	------		------	
215/75R16C	116/114R-10PR	728	216	6J	------	C	E	72dB (C2)
225/65R16C	112/110T-8PR	698	228	6½J	------	C	E	72dB (C2)
225/75R16C	116/114S-8PR	744	223	6J	------		------	
225/75R16C	121/120R-10PR	744	223	6J	------	C	E	72dB (C2)
235/65R16C	115/113T-8PR	712	240	7J	------	C	E	72dB (C2)
215/60R17C	109/107T-8PR	690	211	6½J	------		------	

Performance Test





SP701

COMMERCIAL VAN TIRE

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
155R12C	88/86N-8PR	553	157	4.50B	------	------

SP702

COMMERCIAL VAN TIRE

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
185R14C	102/100Q-8PR	650	188	5½J	------	------
195R14C	105/103Q-8PR	666	198	5½J	------	------
185R15C	98/97Q-6PR	677	189	5½J	------	------
195R15C	106/104-8PRQ	693	196	5½J	------	------

SP703

COMMERCIAL VAN TIRE

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
5.00R12C	83/81P-8PR	568	143	3.50B	------	------
5.50R13LT	88/84P-8PR	620	160	4.00B	------	------

SP705

COMMERCIAL VAN TIRE

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
225/70R15C	112/110Q-8PR	697	228	6½J	------	------

SP707

COMMERCIAL VAN TIRE

Performance Test





SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
145R12C	86/84N-8PR	537	145	4.00B	------	------



SP706


RACE TIRE



TIRE FEATURES WITH CARBON NANO-TUBES COMPOUND

1.Low rolling resistance more fuel-efficient eco-friendly
2.No static, more safety
3.High speed performance
4.Lower tread temperature and longer service life

SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
195/50R15	82V	577	201	6J	180AA	------
205/40R17	84W	596	212	7½J	180AA	------
205/45ZR17	88W XL	616	206	7J	180AA	------
215/45ZR17	91W XL	626	213	7J	180AA	------
225/45ZR17	94V XL	634	255	7½J	180AA	------
225/50ZR17	98W XL	658	233	7J	180AA	------
245/45ZR18	100W XL	677	243	8J	180AA	------



SP718


TAXI PATTERN TIRE



Performance Test



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G	
155R13C	85/83S-6PR	578	157	4½J	460AA	------
155/65R13	73T/73H	532	157	4½J	460AA	------
165R13C	91/89S-6PR	596	167	4½J	460AA	------
165/65R13	77T	544	170	5.00B	460AA	------
165/70R13	79T	562	170	5.00B	460AA	------
165/70R13C	88/86S-6PR	562	170	5J	460AA	------
175/60R13	77H	540	177	5J	460AA	------
175/70R13	82T	576	177	5.00B	460AA	------
185/70R13	86T	590	189	5.00B	460AA	------
165/60R14	75H	554	170	5J	460AA	------
165/70R14	81H	588	170	5J	460AA	------
175/65R14	82H	584	177	5J	460AA	------
175/60R14	83H XL	566	177	5J	460AA	------
175/70R14	74T	602	177	5J	460AA	------
175/70R14LT	95/93S	602	177	5J	460AA	------
175/70R14C	99/98S	618	177	5J	460AA	------
175/75R14C	99/98-8PR	618	177	5J	------	------
185/60R14	82H	578	189	5½J	460AA	------
185/65R14	86H	596	189	5½J	460AA	------
185/70R14	88T	616	189	5½J	460AA	------
185/80R14	91T	652	184	5J	460AA	------
185R14C	102/100T-8PR	650	188	5½J	460AA	------
185R14LT	102/100T-8PR	650	188	5½J	460AA	------
195/60R14	86H	590	201	6J	460AA	------
195/70R14	91H	630	201	6J	460AA	------
195R14C	106/104S-8PR	666	198	5½J	460AA	------
195R14LT	105/103S-8PR	666	198	5½J	460AA	------
205/70R14	95H	644	209	6J	460AA	------
175/65R15	84H	609	177	5J	460AA	------
185/60R15	84/88H	603	189	5½J	460AA	------
185/65R15	88H	621	189	5½J	460AA	------
195/60R15	88H	615	201	6J	460AA	------
195/65R15	91H	635	201	6J	460AA	------



SNOWTREK SP709

WINTER TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G			
175/65R15	84T	609	177	5	------	D	C	69dB (C1)
195/50R15	82V	577	201	6	------	D	C	69dB (C1)
205/45R16 XL	87V	590	206	7	------	D	C	70dB (C1)
205/45R17 XL	88V	616	206	7	------	D	C	70dB (C1)
205/55R17 XL	95V	658	214	6.5	------	C	C	70dB (C1)
215/45R17 XL	91H	626	213	7	------	C	C	70dB (C1)
215/50R17 XL	95V	648	226	7	------	C	C	70dB (C1)
215/55R18 XL	99V	693	226	7	------	C	C	70dB (C1)
215/60R17	96H	690	221	6.5	------	C	C	69dB (C1)
225/45R19 XL	96V	685	225	7.5	------	C	C	70dB (C1)
225/55R18 XL	102V	705	233	7	------	C	C	70dB (C1)
225/55R19 XL	103H	731	233	7	------	C	C	70dB (C1)
225/60R17	99H	702	228	6.5	------	C	C	69dB (C1)
225/65R17	102H	724	228	6.5	------	D	C	72dB (C1)
225/60R18 XL	104H	727	228	6.5	------	C	C	70dB (C1)
235/45R18 XL	98T	669	236	8	------	C	C	70dB (C1)
235/55R17 XL	103H	690	245	7.5	------	C	C	70dB (C1)
235/55R18 XL	104V	715	245	7.5	------	C	C	70dB (C1)
235/55R19 XL	105V	741	245	7.5	------	C	C	70dB (C1)
235/60R18	103T	739	240	7	------	C	C	69dB (C1)
245/40R18 XL	97V	653	248	8.5	------	C	C	70dB (C1)
245/40R19 XL	98V	679	248	8.5	------	C	C	70dB (C1)
245/45R19 XL	102V	703	243	8	------	C	C	70dB (C1)
245/45R20 XL	103V	728	243	8	------	C	C	70dB (C1)
245/65R17	107H	750	248	7	------	C	C	69dB (C1)
255/35R19 XL	96V	661	260	9	------	C	C	71dB (C1)
255/35R20 XL	97V	686	260	9	------	C	C	71dB (C1)
255/40R19 XL	100V	687	260	9	------	C	C	71dB (C1)
255/45R19 XL	104V	713	255	8.5	------	C	C	71dB (C1)
255/45R20 XL	105V	738	255	8.5	------	C	C	71dB (C1)
255/50R19 XL	107V	739	265	8	------	C	C	71dB (C1)
265/65R17	112H	776	272	8	------	C	C	70dB (C1)
275/40R20 XL	106V	728	278	9.5	------	C	C	71dB (C1)
215/55R17	94H	668	226	7	------		------	
265/35R18 XL	97H	643	271	9.5	------		------	
255/50R20 XL	109H	764	265	8	------		------	
235/50R19	99H	719	245	7.5	------		------	

SNOWTREK
SP719
WINTER TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
155/65R14	75T	558	157	4.5	-------	D	D	70dB	(C1)
155/70R13	75T	548	157	4.5	-------	D	D	70dB	(C1)
155/80R13	79T	578	157	4.5	-------	D	D	70dB	(C1)
165/65R14	79T	570	170	5	-------	D	D	70dB	(C1)
165/70R13	79T	562	170	5	-------	D	D	70dB	(C1)
165/70R14	81T	588	170	5	-------	D	D	70dB	(C1)
175/65R14	82T	584	177	5	-------	D	D	70dB	(C1)
175/70R13	82T	576	177	5	-------	D	D	70dB	(C1)
175/70R14	84T	602	177	5	-------	D	D	70dB	(C1)
185/55R15	82H	585	194	6	-------	D	D	70dB	(C1)
185/60R14	82T	578	189	5.5	-------	D	D	70dB	(C1)
185/60R15	88T	603	189	5.5	-------	D	D	70dB	(C1)
185/65R14	86H	596	189	5.5	-------	D	D	70dB	(C1)
185/65R15	88H	621	189	5.5	-------	D	D	70dB	(C1)
195/55R15	85H	595	201	6	-------	D	D	71dB	(C1)
195/55R16	91H	620	201	6	-------	D	D	71dB	(C1)
195/60R15	88H	615	201	6	-------	D	D	71dB	(C1)
195/65R15	91H	635	201	6	-------	D	D	71dB	(C1)
205/50R17	93V	638	214	6.5	-------	D	D	71dB	(C1)
205/55R16	94V	632	214	6.5	-------	D	D	71dB	(C1)
205/60R16	92H	652	209	6	-------	D	D	71dB	(C1)
205/65R15	94H	647	209	6	-------	D	D	71dB	(C1)
215/55R16	97V	642	226	7	-------	D	D	71dB	(C1)
215/55R17	98V	668	226	7	-------	D	D	71dB	(C1)
215/60R16	99V	664	221	6.5	-------	D	D	71dB	(C1)
215/65R16	98H	686	221	6.5	-------	D	D	71dB	(C1)
225/40R18	92V	637	230	8	-------	D	D	71dB	(C1)
225/45R17	94V	634	225	7.5	-------	D	D	71dB	(C1)
225/45R18	95V	659	225	7.5	-------	D	D	71dB	(C1)
225/50R17	98V	658	233	7	-------	D	D	71dB	(C1)
225/55R16	99H	654	233	7	-------	D	D	71dB	(C1)
225/55R17	101V	680	233	7	-------	D	D	71dB	(C1)
235/35R19	91V	647	241	8.5	-------	D	D	71dB	(C1)
235/45R17	97V	644	236	8	-------	D	D	71dB	(C1)
245/45R18	100V	677	243	8	-------	D	D	71dB	(C1)
205/65R16C-8	107/105R	672	209	6	-------	C	B	72dB	(C2)
215/75R16C-8	113/111R	728	216	6	-------	C	B	72dB	(C2)
225/75R16C-10	121/120R	744	223	6	-------	C	B	72dB	(C2)
235/65R16C-8	115/113R	712	240	7	-------	C	B	72dB	(C2)

SNOWTREK
SP729
WINTER TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
195/60R16C	99/97T	640	201	6	-------	C	B	73dB	(C2)
195/70R15C	104/102R	655	201	6	-------	C	B	73dB	(C2)
195/75R16C	107/105R	698	196	5.5	-------	C	B	73dB	(C2)
205/65R16C	107/105R	672	209	6	-------	C	B	73dB	(C2)
205/75R16C	110/108R	714	203	5.5	-------	C	B	73dB	(C2)
215/65R16C	109/107R	686	221	6.5	-------	C	B	73dB	(C2)
215/70R15C	109/107R	683	221	6.5	-------	C	B	73dB	(C2)
215/75R16C	113/111R	728	216	6	-------	C	B	73dB	(C2)
225/65R16C	112/110R	698	228	6.5	-------	C	B	73dB	(C2)
225/70R15C	112/110R	697	228	6.5	-------	C	B	73dB	(C2)
235/65R16C	115/113R	712	240	7	-------	C	B	73dB	(C2)

SNOWTREK
SP739
WINTER TIRE



SIZE	LOAD INDEX & SPEED RATING	O.D (MM)	S.W (MM)	STANDARD RIM	U.T.Q.G				
165/70R13	79T	562	170	5	-------	C	D	71dB	(C1)
175/65R14	82T	584	177	5	-------	C	D	71dB	(C1)
175/70R13	82T	576	177	5	-------	C	D	71dB	(C1)
185/60R14	82T	578	189	5.5	-------	C	D	71dB	(C1)
185/65R14	86T	596	189	5.5	-------	C	D	71dB	(C1)
185/65R15	88T	621	189	5.5	-------	C	D	71dB	(C1)
195/60R14	86T	590	201	6	-------	C	D	72dB	(C1)
195/65R15	91T	635	201	6	-------	C	D	72dB	(C1)
205/55R16	91T	632	214	6.5	-------	C	D	72dB	(C1)
205/70R14	98T	644	209	6	-------	C	D	72dB	(C1)
225/60R16	98T	676	228	6.5	-------	C	D	72dB	(C1)
235/65R17	108T	738	240	7	-------	C	D	72dB	(C1)
235/70R16	106T	736	240	7	-------	C	D	72dB	(C1)
235/75R15	105T	733	235	6.5	-------	C	D	72dB	(C1)
185/75R16C-8	104/102R	684	184	5	-------		-------		
205/70R15C-8	106/104R	669	209	6	-------		-------		